ELSEVIER

Neuroscience Letters 318 (2002) 172–173

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 318

Volume 318, no. 1

Guidelines for the submission of manuscripts v

Expression of Ret receptor tyrosine kinase after transient forebrain ischemia is modulated by glial cell line-derived neurotrophic factor in rat hippocampus
H. Miyazaki, K. Nagashima, Y. Okuma, Y. Nomura (Japan) 1

Phonological processing in dyslexic children: a study combining functional imaging and event related potentials
P. Georgiewa, R. Rzanny, C. Gaser, U.-J. Gerhard, U. Vieweg, D. Freesmeyer, H.-J. Mentzel, W.A. Kaiser, B. Blanz (Germany) 5

Glutathione potentiates cloned rat brain large conductance Ca^{2+}-activated K^+ channels (rSlo)
S. Chung, W. Jung, D.-Y. Uhm, T.S. Ha, C.-S. Park (South Korea) 9

Interaction between interleukin 1β and endogenous neurokinin 1 receptor agonists in mediating plasma extravasation and neutrophil accumulation in the cutaneous microvasculature of the rat
E. Pintér, M. Thán, D.Q. Chu, C. Fogg, S.D. Brain (Hungary, UK) 13

Activation of protein kinase A by nitric oxide in cultured dorsal root ganglion neurites of the rat, examined by a fluorescence probe, ARII
S. Tsukada, K. Keino-Masu, M. Masu, J. Fukuda (Japan) 17

Experimental herpes simplex virus encephalitis: inhibition of the expression of inducible nitric oxide synthase in mouse brain tissue
U. Meyding-Lamadé, S. Seyfer, J. Haas, F. Dvorak, R. Kehm, W. Lamadé, W. Hacke, B. Wildemann (Germany) 21

The lateral septal area is involved in mediation of immobilization stress-induced blood pressure increase in rats
T. Kubo, T. Kanaya, H. Numakura, H. Okajima, Y. Hagiwara, R. Fukumori (Japan) 25

Increased tau phosphorylation but absence of formation of neurofibrillary tangles in mice double transgenic for human tau and Alzheimer mutant (M146L) presenilin-1
A. Boutajangout, K. Leroy, N. Touchet, M. Authelet, V. Blanchard, G. Tremp, L. Pradier, J.P. Brion (Belgium, France) 29

Galvanic vestibular stimulation in humans produces online arm movement deviations when reaching towards memorized visual targets
J.-P. Bresciani, J. Blouin, K. Popov, C. Bourdin, F. Sarlegna, J.-L. Vercher, G.M. Gauthier (France, Russia) 34

Capsaicin sensitive afferents mediate the development of heat hyperalgesia and hindpaw edema after sciatic section in rats
W.S. Kingery, G.S. Agashe, T.-Z. Guo, M.F. Davies, J.D. Clark, M. Maze (USA, UK) 39

Dipolar modelling of the scalp evoked potentials to painful contact heat stimulation of the human skin
M. Valeriani, D. Le Pera, D. Niddam, A.C.N. Chen, L. Arendt-Nielsen (Italy, Denmark) 44

Electric brain response to sound repetition in humans: an index of long-term-memory – trace formation?
R. Näätänen, T. Rinne (Finland) 49

Volume 318, no. 2

Presenilin-1 is expressed in neural progenitor cells in the hippocampus of adult mice
P.H. Wen, V.L. Friedrich Jr, J. Shioi, N.K. Robakis, G.A. Elder (USA) 53

Increase of β-endorphin biosynthesis in the adrenal gland of streptozotocin-induced diabetic rats
C.-T. Hsu, I.-M. Liu, J.-T. Cheng (Taiwan) 57

Plasma orexin-A is lower in patients with narcolepsy
S. Higuchi, A. Usui, M. Murasaki, S. Matsushita, N. Nishioka, A. Yoshino, T. Matsui, H. Muraoka, Y. Ishizuka, S. Kanba, T. Sakurai (Japan) 61

The efflux of purine nucleobases and nucleosides from the rat brain
A.J. Isakovic, M.B. Segal, B.A. Milojkovic, M.P. Dacevic, S.T. Misirlic, M.L. Rakic, Z.B. Redzic (Yugoslavia, UK) 65

Chronic hypoxia remodels voltage-gated Ca^{2+} entry in a human airway chemoreceptor cell line
R.L. Colebrooke, I.F. Smith, P.J. Kemp, C. Peers (UK) 69

Frequency-dependent spatial distribution of human somatosensory evoked neuromagnetic fields
M. Hirata, A. Kato, M. Taniguchi, H. Ninomiya, D. Cheyne, S.E. Robinson, M. Maruno, E. Kumura, R. Ishii, N. Hirabuki, H. Nakamura, T. Yoshimine (Japan, Canada) 73

ELSEVIER

Neuroscience Letters 318 (2002) 172–173

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 318

Volume 318, no. 1

Guidelines for the submission of manuscripts v

Expression of Ret receptor tyrosine kinase after transient forebrain ischemia is modulated by glial cell line-derived neurotrophic factor in rat hippocampus
H. Miyazaki, K. Nagashima, Y. Okuma, Y. Nomura (Japan) 1

Phonological processing in dyslexic children: a study combining functional imaging and event related potentials
P. Georgiewa, R. Rzanny, C. Gaser, U.-J. Gerhard, U. Vieweg, D. Freesmeyer, H.-J. Mentzel, W.A. Kaiser, B. Blanz (Germany) 5

Glutathione potentiates cloned rat brain large conductance Ca^{2+}-activated K^+ channels (rSlo)
S. Chung, W. Jung, D.-Y. Uhm, T.S. Ha, C.-S. Park (South Korea) 9

Interaction between interleukin 1β and endogenous neurokinin 1 receptor agonists in mediating plasma extravasation and neutrophil accumulation in the cutaneous microvasculature of the rat
E. Pintér, M. Thán, D.Q. Chu, C. Fogg, S.D. Brain (Hungary, UK) 13

Activation of protein kinase A by nitric oxide in cultured dorsal root ganglion neurites of the rat, examined by a fluorescence probe, ARII
S. Tsukada, K. Keino-Masu, M. Masu, J. Fukuda (Japan) 17

Experimental herpes simplex virus encephalitis: inhibition of the expression of inducible nitric oxide synthase in mouse brain tissue
U. Meyding-Lamadé, S. Seyfer, J. Haas, F. Dvorak, R. Kehm, W. Lamadé, W. Hacke, B. Wildemann (Germany) 21

The lateral septal area is involved in mediation of immobilization stress-induced blood pressure increase in rats
T. Kubo, T. Kanaya, H. Numakura, H. Okajima, Y. Hagiwara, R. Fukumori (Japan) 25

Increased tau phosphorylation but absence of formation of neurofibrillary tangles in mice double transgenic for human tau and Alzheimer mutant (M146L) presenilin-1
A. Boutajangout, K. Leroy, N. Touchet, M. Authelet, V. Blanchard, G. Tremp, L. Pradier, J.P. Brion (Belgium, France) 29

Galvanic vestibular stimulation in humans produces online arm movement deviations when reaching towards memorized visual targets
J.-P. Bresciani, J. Blouin, K. Popov, C. Bourdin, F. Sarlegna, J.-L. Vercher, G.M. Gauthier (France, Russia) 34

Capsaicin sensitive afferents mediate the development of heat hyperalgesia and hindpaw edema after sciatic section in rats
W.S. Kingery, G.S. Agashe, T.-Z. Guo, M.F. Davies, J.D. Clark, M. Maze (USA, UK) 39

Dipolar modelling of the scalp evoked potentials to painful contact heat stimulation of the human skin
M. Valeriani, D. Le Pera, D. Niddam, A.C.N. Chen, L. Arendt-Nielsen (Italy, Denmark) 44

Electric brain response to sound repetition in humans: an index of long-term-memory – trace formation?
R. Näätänen, T. Rinne (Finland) 49

Volume 318, no. 2

Presenilin-1 is expressed in neural progenitor cells in the hippocampus of adult mice
P.H. Wen, V.L. Friedrich Jr, J. Shioi, N.K. Robakis, G.A. Elder (USA) 53

Increase of β-endorphin biosynthesis in the adrenal gland of streptozotocin-induced diabetic rats
C.-T. Hsu, I.-M. Liu, J.-T. Cheng (Taiwan) 57

Plasma orexin-A is lower in patients with narcolepsy
S. Higuchi, A. Usui, M. Murasaki, S. Matsushita, N. Nishioka, A. Yoshino, T. Matsui, H. Muraoka, Y. Ishizuka, S. Kanba, T. Sakurai (Japan) 61

The efflux of purine nucleobases and nucleosides from the rat brain
A.J. Isakovic, M.B. Segal, B.A. Milojkovic, M.P. Dacevic, S.T. Misirlic, M.L. Rakic, Z.B. Redzic (Yugoslavia, UK) 65

Chronic hypoxia remodels voltage-gated Ca^{2+} entry in a human airway chemoreceptor cell line
R.L. Colebrooke, I.F. Smith, P.J. Kemp, C. Peers (UK) 69

Frequency-dependent spatial distribution of human somatosensory evoked neuromagnetic fields
M. Hirata, A. Kato, M. Taniguchi, H. Ninomiya, D. Cheyne, S.E. Robinson, M. Maruno, E. Kumura, R. Ishii, N. Hirabuki, H. Nakamura, T. Yoshimine (Japan, Canada) 73

Up-regulation of Hrk, a regulator of cell death, in retinal ganglion cells of axotomized rat retina
T. Wakabayashi, J. Kosaka, S. Hommura (Japan) 77
New method for transplantation of neurosphere cells into injured spinal cord through cerebrospinal fluid in rat
S. Wu, Y. Suzuki, M. Kitada, K. Kataoka, M. Kitaura, H. Chou, Y. Nishimura, C. Ide (Japan) 81
Effect of electroacupuncture on the stress-induced changes in brain-derived neurotrophic factor expression in rat hippocampus
S.-J. Yun, H.-J. Park, M.-J. Yeom, D.-H. Hahm, H.-J. Lee, E.H. Lee (South Korea) 85
The start of the quiescent period of cortisol remains phase locked to the melatonin onset despite circadian phase alterations in humans working the night schedule
L. Weibel, G. Brandenberger (France) 89
Nitric oxide-mediated Ca^{++}-influx in neuronal nuclei and cortical synaptosomes of normoxic and hypoxic newborn piglets
O.P. Mishra, M. Delivoria-Papadopoulos (USA) 93
[^{3}H]Epibatidine binding to bovine adrenal medulla: evidence for $\alpha3\beta4^*$ nicotinic receptors
R.B. Free, D.L. Bryant, S.B. McKay, D.J. Kaser, D.B. McKay (USA) 98
Effects of *S*-adenosyl-L-methionine on lipid peroxidation and glutathione levels in rat brain slices exposed to reoxygenation after oxygen-glucose deprivation
J.P. De La Cruz, M.A. Villalobos, M.A. Cuerda, A. Guerrero, J.A. González-Correa, F. Sánchez De La Cuesta (Spain) 103
Dilatation of cerebral parenchymal vessels mediated by angiotensin type 1 receptor in cats
M. Takao, M. Kobari, N. Tanahashi, M. Tomita, M. Yokoyama, Y. Tomita, M. Otomo, K. Inoue, Y. Fukuuchi (Japan) 108

Volume 318, no. 3

Inversion of the anatomical lateralization of chick thalamofugal visual pathway by light experience
M. Koshiba, T. Kikuchi, M. Yohda, S. Nakamura (Japan) 113
Age-related change in the relationship between circadian period, circadian phase, and diurnal preference in humans
J.F. Duffy, C.A. Czeisler (USA) 117
Electrophysiological and horseradish peroxidase-tracing studies of nerve regeneration through alginate-filled gap in adult rat spinal cord
Y. Suzuki, M. Kitaura, S. Wu, K. Kataoka, K. Suzuki, K. Endo, Y. Nishimura, C. Ide (Japan) 121
Upregulation of adrenocorticotrophic hormone in the corticotrophs and downregulation of surface receptors and antigens on the macrophages in the adenohypophysis following an exposure to high altitude
C. Kaur, J. Singh, C.M. Peng, E.A. Ling (Singapore) 125
Retinoic acid influences the expression of the neuronal regulatory genes Mash-1 and c-ret in the developing rat heart
T. Shoba, S.T. Dheen, S.S.W. Tay (Singapore) 129
Direct projections from substance P-containing neurons to nitric oxide synthase-containing interneurons in the rat striatum
J.-L. Li, Y.-L. Dong, T. Kaneko, N. Mizuno (People's Republic of China, Japan) 133
Ebselen blocks the quinolinic acid-induced production of thiobarbituric acid reactive species but does not prevent the behavioral alterations produced by intra-striatal quinolinic acid administration in the rat
J.I. Rossato, G. Zeni, C.F. Mello, M.A. Rubin, J.B.T Rocha (Brazil) 137
Pre-treatment with melatonin reduces volume of cerebral infarction in a permanent middle cerebral artery occlusion stroke model in the rat
Z. Pei, H.T.S. Ho, R.T.F. Cheung (Hong Kong) 141
Cortical neuronal ensembles driven by dorsal horn spinal neurones with spontaneous activity in the cat
E. Manjarrez, G. Rojas-Piloni, D. Vazquez, A. Flores (Mexico) 145
Human brain potentials indicate morphological decomposition in visual word recognition
H. Barber, A. Domínguez, M. de Vega (Spain) 149
Turnover analysis of *N*-methyl-D-aspartate receptor subunit NR1 protein in PC12 cells
R. Vazhappilly, N.J. Sucher (China) 153
Role of kinins and sensory neurons in the rat pleural leukocyte migration induced by *Phoneutria nigriventer* spider venom
S.K.P. Costa, R.A. Moreno, L.C.M. Esquisatto, L. Juliano, S.D. Brain, G. De Nucci, E. Antunes (Brazil, UK) 158
Fast Green FCF (Food Green 3) inhibits synaptic activity in rat hippocampal interneurons
J.A. van Hooft (The Netherlands) 163
Uncommon polymorphism in the presenilin genes in human familial Alzheimer's disease: not to be mistaken with a pathogenic mutation
A. Lleó, M. Castellví, R. Blesa, R. Oliva (Spain) 166

Author Index to Volume 318 169
Contents to Volume 318 172